



avantium

A CERIM AND ATOM COMPANY

Shoes machinery
and automated systems



ATOM



MADE IN ITALY



Macchinamontaboette e fianchi a colla termoplastica

- Funzionamento idraulico
- Pannello touch screen per i comandi
- Applicazione colla termoplastica sul sottopiede con profilo programmabile tramite 2 ugelli
- Regolazioni meccaniche altezza gruppo montaggio fianchi
- Altezza tacco regolabile
- Due pinze, a lato della forma, per il tiraggio della tomaia sia automatico che manuale ed indipendente destro sinistro

SETTORI DI APPLICAZIONE



Uomo



Donna



Bambino




Safety



Sportive



Sneakers Montato



Goodyear

K58TP

New generation of thermocement heel seat and side lasting machine



Heelseat and side thermocement lasting machine

- Hydraulic functioning
- Control panel with touch screen
- Injection of thermocement on the shoe insole with programmable tracer system
- Mechanical regulation of the sides lasting unit.
- Heel height adjustment
- Automatic side pincers

SECTORS OF APPLICATION



Man



Woman



Child



Safety



Sports





Lasted Sneakers



Goodyear

CARATTERISTICHE K58TP



GRUPPO PINZE

Due pinze, a lato della forma, per il tiraggio della tomaia sia automatico che manuale ed indipendente destro sinistro



APPLICAZIONE COLLA TERMOPLASTICA



L'iniezione della colla termoplastica sul sottopiede garantisce una distribuzione precisa all'interno dell'area di lavoro.



GRUPPO MONTAGGIO LUNGO (Optional)

[VAI ALLA SCHEDA TECNICA >](#)

FEATURES K58TP



PINCERS

Two pincers group, at the side of the last, for the pre tensioning of the upper. Automatic pulling and independent manual correction.



CEMENT DISTRIBUTION

The injection of the thermocement on the shoe's insole, guarantees a precise distribution within the working area.




LONG MOUNTING GROUP (Optional)

[VIEW DATASHEET >](#)

SCHEDA TECNICA K58TP

DIMENSIONI (L x P x H)	mm 1350 x 1450 x 2000
DIMENSIONI IMBALLO	mm 1450 x 1550 x 2100
PESO NETTO	Kg 900
PESO LORDO IN CASSA	Kg 1050
POTENZA ELETTRICA TOTALE INSTALLATA	Kw 3,6
ALIMENTAZIONE PNEUMATICA	Bar 6
ALIMENTAZIONE ELETTRICA	3PH + PE


[< TORNA AI DETTAGLI DELLA MACCHINA](#)



TECHNICAL FEATURES **K58TP**

DIMENSIONS (L x W x H)	mm 1350 x 1450 x 2000
PACKAGING DIMENSIONS	mm 1450 x 1550 x 2100
NET WEIGHT	Kg 900
GROSS WEIGHT IN CASE	Kg 1050
TOTAL INSTALLED ELECTRIC POWER	Kw 3,6
PNEUMATIC POWER SUPPLY	Bar 6
POWER SUPPLY	3PH + PE

[< BACK TO THE MACHINE DETAILS](#)





Avantium

Corso Novara, 218
27029 Vigevano (PV) - Italia
Tel: +39 0381 20905
www.avantium.it
Email: info@avantium.it



ATOM



MADE IN ITALY